



Flood Lighting

Turn the night into daylight with Crompton’s powerful floodlights! Designed to brighten up large outdoor spaces, they deliver high-intensity illumination with unmatched efficiency. Whether it’s stadiums, tunnels, warehouses, or architectural facades, these robust and weatherproof luminaires ensure every corner shines bright, no matter the conditions.



Best-in-class efficiency



IP66 ingress protection



High surge protection



High impact resistance

ROVER NEO

LED floodlight made up of pressure die cast aluminium housing with toughened glass with SMD LEDs and IP66 protection. System efficacy >120LPW.

CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
TFS-521-50-57-NL-SL-NS-GL-NSG	50	5	3000
TFS-521-50-30-NL-SL-NS-GL-NSG	50	5	3200



NEW

ROVER NEO

LED floodlight made up of pressure die cast aluminium housing with toughened glass with SMD LEDs and IP66 protection. System efficacy >120LPW.

CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
TFS-522-100-57-NL-SL-NS-GL-NSG	100	4	5800
TFS-522-100-30-NL-SL-NS-GL-NSG	100	4	6000



NEW

ROVER

LED floodlight made up of pressure die cast aluminium housing with toughened glass and high power LEDs and secondary lenses with IP66 protection. System efficacy >110/120 LPW, 10kV SPD version to be ordered separately.

CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
TFS-504-50-57-NL-SL-GL-NBK	50	6	6200
CFS-504-50-57-60D-SL-GL-NSG	50	-	-
CFS-504-50-30-60D-SL-GL-NSG	50	6	8400
TFS-504-60-57-60D-SL-GL-NSG	60	-	-
TFS-504-60-30-60D-SL-GL-NSG	60	6	8600
TFS-504-60-57-60D-HL2-GL-NSG	60	6	9400



ROVER PLUS

LED floodlight made up of pressure die cast aluminium housing with toughened glass and high power LEDs and secondary lenses with IP66 protection. System efficacy >110/120 LPW, 10kV SPD to be ordered separately.

CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
TFS-504-70-57-60D-SL-GL-NSG	70	6	8800
TFS-504-70-30-60D-SL-GL-NSG	70	6	9000
TFS-504-70-57-60D-HL2-GL-NSG	70	6	11500
TFS-504-80-57-60D-SL-GL-NSG	80	6	10000
TFS-504-80-30-60D-SL-GL-NSG	80	6	10500
TFS-504-80-57-60D-HL2-GL-NSG	80	6	12000
TFS-504-100-57-60D-SL-GL-NSG	100	6	10500
TFS-504-100-57-NL-SL-GL-NBK	100	6	10250
CFS-504-100-30-60D-SL-GL-NSG	100	6	10800
TFS-504-100-57-60D-HL2-GL-NSG	100	6	12500
CFS-504-100-57-60D-HL2-GL-NSG	100	6	13500
CFS-504-120-57-60D-SL-GL-NSG	120	6	15000
CFS-504-120-57-60D-HL2-GL-NSG	120	6	16000
TFS-504-120-57-60D-HL2-GL-NB	120	6	14500
TFS-504-150-57-60D-HL2-GL-NBK	150	6	15500



PROFILE NEO

LED floodlight made up of pressure die cast aluminium housing with toughened glass and high power LEDs and secondary lenses with IP66 protection. System efficacy 110/120LPW, 10kV SPD included.

CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
LFL-70-CDL/60-M	70	6	10500
LFL-70-CDL/60-M	70	6	11500
LFL-70-CDL/60-HPM	70	6	12000
LFL-80-CDL/60-M	80	6	11000
LFL-80-WW/60-M	80	6	12000
LFL-80-CDL/60-HPM	80	6	13000

SPECTACLE

LED floodlight made up of pressure die cast aluminium housing with integrated IP lens and SMD LEDs with IP66 protection. System efficacy >120LPW, 10kV SPD included.

CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
TFS-510-150-57-60D-HL2-LM-NGG	150	2	15300
TFS-510-150-30-60D-HL2-LM-NGG	150	2	on request
TFS-511-200-57-60D-HL2-LM-NGG	200	2	19500
TFS-511-200-30-60D-HL2-LM-NGG	200	2	on request

SPECTACLE PRO

LED floodlight made up of pressure die cast aluminium housing with integrated IP lens and SMD LEDs with IP66 protection. System efficacy >120LPW, 10kV SPD included.

CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
CFS-510-150-57-60D-HL2-LM-NSG	150	2	17000
CFS-511-200-57-60D-HL2-LM-NSG	200	2	22000

PLUTO NEO AURA

LED floodlight made up of pressure die cast aluminium housing with toughened glass and high power LEDs and secondary lenses with IP66 protection. System efficacy ≥ 110/LPW 10kV SPD included.

CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
TFS-507-150-57-60D-SL-GL-NSG	150	2	16000
TFS-507-150-57-NL-SL-GL-NSG	150	2	15500
TFS-507-200-57-60D-SL-GL-NSG	200	2	22000
TFS-507-200-57-NL-SL-GL-NSG	200	2	21000

PLUTO NEO

LED floodlight made up of pressure die cast aluminium housing with toughened glass and high power LEDs and secondary lenses with IP66 protection. System efficacy ≥ 110/LPW 10kV SPD included.

CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
LFLN-135-CDL/60-M	135	2	16500
LFLN-135-WW/60-M	135	2	17000
LFLN-150-CDL/60-M	150	2	17500
LFLN-150-WW/60-M	150	2	18500
LFLN-150-CDL/60-HPM	150	2	18500
LFLN-180-CDL/60-M	180	2	18500
LFLN-180-WW/60-M	180	2	19500
LFLN-200-CDL/60-M	200	2	24000
LFLN-200-WW/60-M	200	2	25000
LFLN-200-CDL/60-HPM	200	2	25500

CHALLENGER PRO

Unique modular LED floodlight made up of pressure die cast aluminium housing with toughened glass and high power LEDs and secondary lenses with IP66 protection. Available in NB/MB/WB angles. 10kV SPD included, System Efficacy ≥ 110/120/135 LPW.

CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
CFS-506-250-57-60D-SL-GL-NSG	250	1	30000
CFS-506-250-57-60D-HL2-GL-NSG	250	1	32500
CFS-506-250-57-30D-HL2-GL-NSG	250	1	33000
CFS-506-250-57-60D-HL3-GL-NBR	250	1	40500
CFS-506-250-57-30D-HL3-GL-NBR	250	1	41000
CFS-506-250-57-10D-HL2-GL-NBR	250	1	44000
CFS-506-250-57-10D-HL3-GL-NBR	250	1	46000
CFS-506-300-57-60D-SL-GL-NSG	300	1	33000
CFS-506-300-57-30D-SL-GL-NSG	300	1	33500
CFS-506-300-57-60D-HL2-GL-NSG	300	1	34800
CFS-506-300-57-30D-HL2-GL-NSG	300	1	35000

SPECTACLE

LED floodlight made up of pressure die cast aluminium housing with integrated IP lens and SMD LEDs with IP66 protection. System efficacy >120LPW, 10kV SPD included.

CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
TFS-526-250-57-60D-HL2-LM-NSG	250	1	22500
TFS-526-300-57-60D-HL2-LM-NSG	300	1	29500

SPECTACLE PRO

LED floodlight made up of pressure die cast aluminium housing with integrated IP lens and SMD LEDs with IP66 protection. System efficacy >120LPW, 10kV SPD included.

CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
CFS-526-250-57-60D-HL2-LM-NGG	250	1	32500
CFS-526-300-57-60D-HL2-LM-NGG	300	1	33000

CHALLENGER PRO PLUS

A unique modular LED floodlight with PDC aluminum housing, toughened glass, high-power LEDs, and secondary lenses. Offers IP66 protection, NB/MB/WB beam angles, 10kV SPD, and system efficacy ≥ 110/120/135 LPW.

CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
CFS-506-500-57-60D-SL-GL-NSG	500	1	60000
CFS-506-500-57-10D-HL2-GL-NBR	500	1	77500
CFS-506-500-57-60D-HL2-GL-NSG	500	1	65000
CFS-506-500-57-30D-HL2-GL-NSG	500	1	65500
CFS-506-500-57-10D-HL3-GL-NBR	500	1	79500
CFS-506-500-57-30D-HL3-GL-NBR	500	1	72500
CFS-506-500-57-60D-HL3-GL-NBR	500	1	72000

CHALLENGER PRO

LED floodlight features a PDC aluminum housing, toughened glass, high-power LEDs, and secondary lenses. Offers IP66 protection, MB/WB beam angles, 10kV SPD, and system efficacy ≥ 110/120/135 LPW.



NEW

CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
CFS-512-350-57-60D-SL-GL-NSG	350	1	40000
CFS-512-350-57-30D-SL-GL-NSG	350	1	40500
CFS-512-350-30-60D-SL-GL-NSG	350	1	42000
CFS-512-350-30-30D-SL-GL-NSG	350	1	42500
CFS-512-350-57-60D-HL2-GL-NSG	350	1	42500
CFS-512-350-57-30D-HL2-GL-NSG	350	1	43000
CFS-512-350-57-60D-HL3-GL-NGG	350	1	55000
CFS-512-350-57-30D-HL3-GL-NGG	350	1	56000
CFS-512-400-57-60D-SL-GL-NSG	400	1	45000
CFS-512-400-57-30D-SL-GL-NSG	400	1	45500
CFS-512-400-30-60D-SL-GL-NSG	400	1	49500
CFS-512-400-30-30D-SL-GL-NSG	400	1	49500
CFS-512-400-57-60D-HL2-GL-NSG	400	1	33500
CFS-512-400-57-30D-HL2-GL-NSG	400	1	50000
CFS-512-400-57-60D-HL3-GL-NGG	400	1	62000
CFS-512-400-57-30D-HL3-GL-NGG	400	1	62000

PLUTO PRO PLUS

LED floodlight made up of pressure die cast aluminium housing with toughened glass and high power LEDs and secondary lenses with IP66 protection. Available in MB/WB angles. 10kV SPD included, System Efficacy ≥ 110/120/135.



NEW

CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
CFS-513-500-57-60D-SL-GL-NSG	500	1	60000
CFS-513-500-57-30D-SL-GL-NSG	513	1	60500
CFS-513-500-57-60D-HL2-GL-NSG	500	1	65000
CFS-513-500-57-30D-HL2-GL-NSG	500	1	65500
CFS-513-500-30-60D-SL-GL-NSG	500	1	66000
CFS-513-500-30-30D-SL-GL-NSG	500	1	66500
CFS-513-500-57-60D-HL3-GL-NGG	500	1	72000
CFS-513-500-57-30D-HL3-GL-NGG	500	1	72500
CFS-513-500-57-10D-HL3-GL-NGG	500	1	79500

