



Beauty at every sight...
Brilliant in optics planned...
Lighting made to make outdoors
safe, secure, and perfect.

OUTDOOR lighting

- Street Lighting
- Flood Lighting
- Sports Lighting
- Tunnel Lighting
- Façade Lighting
- City Beautification



Street Lighting

Guiding the way, night after night! Crompton's street lights illuminate roads with brilliance, ensuring safety, visibility, and efficiency. Built to endure all weather conditions, they keep your streets shining bright—because every journey deserves a clear path!



Best-in-class efficiency



IP66 ingress protection



Long-lasting performance



High impact resistance

WANDERER NEO

Wanderer Neo is the ultimate upgrade from conventional streetlights. Its IK08-rated construction ensures superior impact resistance and durability, while the integrated lens design enhances efficiency with lower losses.



CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
ERP-427-25-57-HL2-LM-NBK	25	20	2500
ERP-427-30-57-HL2-LM-NBK	30	20	2750
ERP-427-35-57-HL2-LM-NBK	35	20	3400
ERP-428-45-57-HL2-LM-NBK	45	10	4750

WANDERER

WANDERER is a Perfect for lighting up gated communities, gardens and municipal roads. It uses a unique air vent technology which keeps temperatures low, needless to say this allows the LEDs to shine even brighter. The light also has an inbuilt surge protection. IP66 Efficacy ≥ 110LPW.



CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
TRP-415-20-57-SL-LM-NBK	20	12	2600
TRP-415-25-57-SL-LM-NBK	25	12	2800
TRP-415-30-57-SL-LM-NBK	30	12	3200
TRP-415-25-30-SL-LM-NBK	25	12	on request
TRP-415-30-30-SL-LM-NBK	30	12	on request

WANDERER PRO

WANDERER PRO is perfect for lighting up gated communities, gardens and municipal roads. It uses a unique air vent technology which keeps temperatures low, needless to say this allows the LEDs to shine even brighter. The light also has an inbuilt surge protection (Optional 10KV SPD) IP66 Efficacy ≥110LPW.



CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
CRP-420-25-57-SL-LM-NSGK	25	12	3500
CRP-420-30-57-SL-LM-NSG	30	12	3800
CRP-420-25-30-SL-LM-NSG	25	12	on request
CRP-420-30-30-SL-LM-NSG	30	12	on request

WANDERER PLUS

WANDERER PLUS is ideal for gated communities, gardens, and municipal roads. Its unique air vent technology ensures low temperatures for brighter LEDs. Equipped with inbuilt surge protection, IP66 rating, and ≥110 LPW efficacy.



CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
TRP-417-45-57-SL-LM-NBK	45	12	5800
TRP-417-45-30-SL-LM-NBK	45	12	on request



WANDERER PRO

WANDERER PRO is perfect for lighting up gated communities, gardens and municipal roads. It uses a unique air vent technology which keeps temperatures low, needless to say this allows the LEDs to shine even brighter. The light also has an inbuilt surge protection (Optional 10KV SPD) IP66 Efficacy ≥110LPW.



CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
CRP-417-45-30-SL-LM-NSG	45	12	on request
CRP-417-45-57-SL-LM-NSG	45	12	6200

FREEDOM NEO

FREEDOM NEO street lights are made up of pressure die cast housing with toughened glass and high power LED's with secondary optics and IP66 protection. (Optional 10kV SPD) Efficacy ≥ 110LPW.



CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
CRP-423-45-57-SL-GL-NSG	45	12	6200
CRP-423-45-35-SL-GL-NSG	45	12	5500

WANDERER PLUS

WANDERER PLUS is ideal for gated communities, gardens, and municipal roads. Its unique air vent technology ensures low temperatures for brighter LEDs. Equipped with inbuilt surge protection, IP66 rating, and ≥110 LPW efficacy.



CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
TRP-421-60-57-SL-LM-NBK	60	6	6200
TRP-421-60-30-SL-LM-NBK	65	6	on request
TRP-421-70-57-SL-LM-NBK	70	6	6800
TRP-421-70-30-SL-LM-NBK	70	6	on request

WANDERER PRO

WANDERER PRO is perfect for lighting up gated communities, gardens and municipal roads. It uses a unique air vent technology which keeps temperatures low, needless to say this allows the LEDs to shine even brighter. The light also has an inbuilt surge protection (Optional 10KV SPD) IP66 Efficacy ≥110LPW.



CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
CRP-421-60-57-SL-LM-NSG	60	6	6800
CRP-421-70-57-SL-LM-NSG	70	6	7400

WANDERER PLUS

WANDERER PLUS is ideal for gated communities, gardens, and municipal roads. Its unique air vent technology ensures low temperatures for brighter LEDs. Equipped with inbuilt surge protection, IP66 rating, and ≥110 LPW efficacy.



CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
TRP-425-90-57-HL2-LM-NBK	90	4	9050
TRP-426-120-57-HL2-LM-NBK	120	4	12500
TRP-425-90-30-HL2-LM-NBK	90	4	on request
TRP-426-120-30-HL2-LM-NBK	120	4	on request

WANDERER PRO

WANDERER PRO is perfect for lighting up gated communities, gardens and municipal roads. It uses a unique air vent technology which keeps temperatures low, needless to say this allows the LEDs to shine even brighter. The light also has an inbuilt surge protection (Optional 10KV SPD) IP66 Efficacy ≥110LPW.



CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
CRP-425-90-57-HL2-LM-NSG	90	6	9600
CRP-426-120-57-HL2-LM-NSG	120	6	13250

VEGA

Vega LED street light is an ideal product for gated communities and municipal roads. It uses a unique heat design to keep the product air cooled, an efficient integrated IP lens ensures proper light distribution with IP66 protection. The light also has an inbuilt surge protection with 10kV SPD included, Efficacy ≥ 110LPW.



CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
TRP-412-90-57-SL-GL-NSG	90	4	9200
TRP-412-90-30-SL-GL-NSG	90	4	9800
CRP-412-90-57-SL-GL-NSG	90	4	9800

RAPTOR NEO

Raptor Neo street lights are aerodynamically designed for all weather conditions with excellent thermal management, made with pressure die cast housing with toughened glass and high power LED's with secondary optics and IP66 protection. Efficacy > 110/120 LPW, available with 10kV SPD.



CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
TRP-409-45-57-SL-GL-NSG	45	6	6200
TRP-409-60-57-SL-GL-NSG	60	6	6900
TRP-409-70-57-SL-GL-NSG	70	6	7600
TRP-411-90-57-SL-GL-NSG	90	4	9800
TRP-411-100-57-SL-GL-NSG	100	4	10800
TRP-411-120-57-SL-GL-NSG	120	4	13500
TRP-409-60-30-SL-GL-NSG	60	6	7200
TRP-409-70-30-SL-GL-NSG	70	6	7900
TRP-411-90-30-SL-GL-NSG	90	4	10200
TRP-411-120-30-SL-GL-NSG	120	4	14000
TRP-409-45-57-HL2-GL-NSG	45	6	6600
TRP-409-60-57-HL2-GL-NSG	60	6	7800
TRP-409-70-57-HL2-GL-NSG	70	6	8600
TRP-411-90-57-HL2-GL-NSG	90	4	10500
TRP-411-100-57-HL2-GL-NSG	100	4	11500
TRP-411-120-57-HL2-GL-NSG	120	4	14000

RAPTOR PRO

Street lights are aerodynamically designed for all weather conditions with excellent thermal management, made up of pressure die cast housing with toughened glass and high power LED's with secondary optics and IP66 protection. 10kV SPD included, Efficacy ≥110/120 LPW.



CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
CRP-409-45-57-SL-GL-NSG	45	6	6600
CRP-409-60-57-SL-GL-NSG	60	6	7800
CRP-409-70-57-SL-GL-NSG	70	6	8000
CRP-411-90-57-SL-GL-NSG	90	4	10500
CRP-411-100-57-SL-GL-NSG	100	4	12000
CRP-411-120-57-SL-GL-NSG	120	4	14000
CRP-409-60-30-SL-GL-NSG	60	6	7400
CRP-409-70-30-SL-GL-NSG	70	6	8200
CRP-411-90-30-SL-GL-NSG	90	4	10400
CRP-411-120-30-SL-GL-NSG	120	4	14500
CRP-409-45-57-HL2-GL-NSG	45	6	6800
CRP-409-60-57-HL2-GL-NSG	60	6	8000
CRP-409-70-57-HL2-GL-NSG	70	6	8800
CRP-411-90-57-HL2-GL-NSG	90	4	11000
CRP-411-100-57-HL2-GL-NSG	100	4	12500
CRP-411-120-57-HL2-GL-NSG	120	4	15000

NEXUS STAR NEO

NEXUS STAR NEO (150W) is an aerodynamically designed street light built for all weather conditions. Featuring excellent thermal management, a PDC housing with toughened glass/integrated lens, high-power LEDs with secondary optics, IP66 protection, and 10kV SPD. Efficacy ≥110/120 LPW.



CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
TRP-424-150-57-HL2-LM-NSG	150	2	17500
TRP-424-150-57-SL-GL-NSG	150	2	16500
CRP-424-150-57-HL2-LM-NSG	150	2	18500
CRP-424-150-57-SL-GL-NSG	150	2	17500

NEXUS PRO

NEXUS PRO LED streetlight made up of pressure die cast aluminium housing with toughened glass and high power LEDs and secondary lenses with IP66 protection. 10kV SPD included. Efficacy ≥110/120LPW



CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
CRP-414-180-57-SL-GL-NSG	180	1	22000
CRP-414-180-57-HL2-GL-NSG	180	1	23000
CRP-414-200-57-SL-GL-NSG	200	1	25000
CRP-414-200-57-HL2-GL-NSG	200	1	26000
CRP-414-220-57-SL-GL-NSG	220	1	27000
CRP-414-220-57-HL2-GL-NSG	220	1	28000

APLOMADO PRO

APLOMADO PRO is a high wattage street light meant for Highway & city roads, aerodynamically designed with excellent thermal management and superior secondary optics for better cost of ownership. IP66 protection, 10kV SPD, Efficacy > 125/135/140.



CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
CRP-418-180-57-HL2-GL-HR-NSR	180	1	28500
CRP-418-180-57-HL3-GL-HR-NSR	180	1	30000
CRP-418-200-57-HL2-GL-HR-NSR	200	1	31000
CRP-418-200-57-HL3-GL-HR-NSR	200	1	32500
CRP-416-220-57-HL2-GL-HR-NSR	220	1	33000
CRP-416-220-57-HL3-GL-HR-NSR	220	1	34500
CRP-416-250-57-HL2-GL-HR-NSR	250	1	37500
CRP-416-250-57-SL-GL-NSG	250	1	32500
CRP-416-250-57-HL2-GL-NSG	250	1	34500
CRP-416-250-57-HL3-GL-HR-NSR	250	1	41000
CRP-416-250-57-HL4-GL-HR-NSR	250	1	44000
CRP-416-270-57-HL4-GL-HR-NSR	270	1	46000
CRP-416-250-57-HL5-LM-NSR	250	1	4800
CRP-416-270-57-HL5-LM-NSR	270	1	on request
CRP-416-300-57-HL5-LM-NSR	300	1	on request



APLOMADO PRO +

APLOMADO PRO + is a high wattage street light meant for Highway & city roads, aerodynamically designed with excellent thermal management and superior secondary optics for better cost of ownership. IP66 protection, 10kV SPD, Efficacy > 120/140/150LPW.



NEW

CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
CRP-429-150-57-HL2-LM-NSG	150	2	on request
CRP-429-180-57-HL2-LM-NSG	180	2	on request
CRP-429-150-57-HL4-LM-HR5-NSG	150	2	21500
CRP-429-180-57-HL4-LM-HR5-NSG	180	2	23500
CRP-429-150-57-HL5-LM-HR-NSR	150	2	on request
CRP-429-180-57-HL5-LM-HR-NSR	180	2	on request

APLOMADO PRO +

APLOMADO PRO + is a high wattage street light meant for Highway & city roads, aerodynamically designed with excellent thermal management and superior secondary optics for better cost of ownership. IP66 protection, 10kV SPD, Efficacy > 120/140/150LPW.



CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
CRP-430-200-57-HL4-LM-HR5-NSG	200	1	26500
CRP-430-200-57-HL5-LM-HR-NSR	200	1	34250
CRP-430-220-57-HL4-LM-HR5-NSG	220	1	28000
CRP-430-220-57-HL5-LM-HR-NSR	220	1	36000
CRP-430-250-57-HL4-LM-HR5-NSG	250	1	30000
CRP-430-250-57-HL5-LM-HR-NSR	250	1	38500
CRP-430-270-57-HL5-LM-HR-NSR	270	1	41500

