



TABLIGHT
LED FLOOD LIGHT
10W to 200W

TABLIGHT

LED FLOOD LIGHT

Crompton Tablight is a modern, consumer-oriented LED flood light range delivering bright, energy-efficient outdoor illumination across 10W-200W options. With a typical efficacy of 100 lm/W, IP65 ingress protection, a shatter-proof diffuser and built-in surge protection up to 4 kV, Crompton Tablight is engineered to give reliable, low-maintenance lighting for gardens, porches, driveways, landscape accents and outdoor living spaces. Backed by a 2-year warranty and easy installation, it's a practical, safe choice for everyday home exterior lighting.



PRODUCT SPECIFICATIONS :

Product Name	Crompton Tablight LED Flood Light
Power	10W to 200W
Rated Voltage	220-240 VAC, 50 Hz
Efficacy	100 lm / W
Color Temperature	6500K / 3000K
CRI	> 70
Power Factor	> 0.9
Surge Protection	4kV
Housing Material	Aluminum Die-cast
IP Lens	Polycarbonate
IP Rating	IP65
Warranty	2 Years

FEATURES & BENEFITS :




- High luminous efficacy: 100 lm/W bright output with energy efficiency.
- Wide wattage range: 10W/20W/30W/50W/70W/100W/150W/200W flexible for small to large-area lighting.
- Aluminium die-cast housing for durability and heat dissipation.
- Modern & sleek aesthetics that blends with your home exteriors.
- IP65 rated - dust tight and water resistant for robust outdoor performance.
- Shatter-proof diffuser - enhanced safety & durability.
- Built-in surge protection up to 4 kV - protection against transient spikes.
- Easy to install with adjustable brackets - reduces service time and maintenance cost.
- Warranty: 2 years across entire Crompton Tablight range.

ORDERING DETAILS :

PRODUCT CODE	PRODUCT DESCRIPTION	WATTAGE	CCT	LUMENS
LDFLTAB10CDL	10W TABLIGHT LED FLOOD LIGHT - CDL	10W	CDL	1000
LDFLTAB20CDL	20W TABLIGHT LED FLOOD LIGHT - CDL	20W	CDL	2000
LDFLTAB30CDL/WW	30W TABLIGHT LED FLOOD LIGHT - CDL/WW	30W	CDL/WW	3000
LDFLTAB50CDL/WW	50W TABLIGHT LED FLOOD LIGHT - CDL/WW	50W	CDL/WW	5000
LDFLTAB70CDL	70W TABLIGHT LED FLOOD LIGHT - CDL	70W	CDL	7000
LDFLTAB100CDL	100W TABLIGHT LED FLOOD LIGHT - CDL	100W	CDL	10000
LDFLTAB150CDL	150W TABLIGHT LED FLOOD LIGHT - CDL	150W	CDL	15000
LDFLTAB200CDL	200W TABLIGHT LED FLOOD LIGHT - CDL	200W	CDL	20000

DIMENSIONS :



Model	Length (L)	Height (H)	Width (W)
LDFLTAB1OCDL	118mm	25mm	90mm
LDFLTAB2OCDL	138mm	25mm	113mm
LDFLTAB3OCDL/WW	148mm	25mm	123mm
LDFLTAB5OCDL/WW	178mm	25mm	152mm
LDFLTAB7OCDL	218mm	25mm	182mm
LDFLTAB10OCDL	238mm	25mm	192mm
LDFLTAB15OCDL	298mm	25mm	212mm
LDFLTAB20OCDL	355mm	25.5mm	260mm

APPLICATIONS

- Garden and Lawn
- Parking Area
- Porch and Entrance
- Driveway and Garage Exterior

